



P.O. Box 1147 • 520 Park East Blvd. • New Albany, IN 47151-1147 USA
 Phone: 1-800-SAMTEC-9 • (812) 944-6733 • Fax: (812) 948-5047
 Internet: <http://www.samtec.com> • E-mail: info@samtec.com

20 June 2011

To Whom It May Concern;

Subject: Samtec Products – European Union *REACH Regulation (EC 1907/2006) - Certificate of Compliance

We confirm that the intentional composition of Samtec products (REACH articles), do not contain the following substances above a maximum concentration in accordance with the European Union REACH Regulation (Regulation EC 1907/2006).

Substance Identification	EC No.	CAS No.
1,2,3-Trichloropropane	202-486-1	96-18-4
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7 rich	276-158-1	71888-89-6
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	271-084-6	68515-42-4
1-Methyl-2-pyrrolidone	212-828-1	872-50-4
2-Ethoxyethyl acetate	203-839-2	111-15-9
Triethyl arsenate	427-700-2	15606-95-8
Anthracene	204-371-1	120-12-7
4,4'-Diaminodiphenylmethane (MDA)	202-974-4	101-77-9
Dibutyl phthalate (DBP)	201-557-4	84-74-2
Cobalt dichloride	231-589-4	7646-79-9
Diarsenic pentaoxide	215-116-9	1303-28-2
Diarsenic trioxide	215-481-4	1327-53-3
Sodium dichromate	234-190-3	7789-12-0
5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	201-329-4	81-15-2
Bis (2-ethylhexyl)phthalate (DEHP)	204-211-0	117-81-7
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified:	247-148-4 and 221-695-9	25637-99-4
<i>Alpha-hexabromocyclododecane</i>	134237-50-6	
<i>Beta-hexabromocyclododecane</i>	134237-51-7	
<i>Gamma-hexabromocyclododecane</i>	134237-52-8	
Hydrazine	206-114-9	302-01-2 / 7803-57-8
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	287-476-5	85535-84-8
Bis(tributyltin)oxide (TBTO)	200-268-0	56-35-9

Lead hydrogen arsenate	232-064-2	7784-40-9
Benzyl butyl phthalate (BBP)	201-622-7	85-68-7
2,4-Dinitrotoluene	204-450-0	121-14-2
Anthracene oil	292-602-7	90640-80-5
Anthracene oil, anthracene paste, distn. Lights	295-278-5	91995-17-4
Anthracene oil, anthracene paste, anthracene fraction	295-275-9	91995-15-2
Anthracene oil, anthracene-low	292-604-8	90640-82-7
Anthracene oil, anthracene paste	292-603-2	90640-81-6
Diisobutyl phthalate	201-553-2	84-69-5
Aluminosilicate, Refractory Ceramic Fibres	(650-017-00-8)	
Zirconia Aluminosilicate, Refractory Ceramic Fibres	(650-017-00-8)	
Lead chromate	231-846-0	7758-97-6
Lead chromate molybdate sulfate red (C.I. Pigment Red 104)	235-759-9	12656-85-8
Lead sulfochromate yellow (C.I. Pigment Yellow 34)	215-693-7	1344-37-2
Acrylamide	201-173-7	79-06-1
Tris(2-chloroethyl)phosphate	204-118-5	115-96-8
Coal tar pitch, high temperature	266-028-2	65996-93-2
Trichloroethylene	201-167-4	79-01-6
Boric Acid	233-139-2	10043-35-3
Disodium Tetraborate anhydrous	215-540-4	1330-43-4/12179-04-3/1303-96-4
Tetraboron disodiumheptaoxide hydrate	235-541-3	12267-73-1
Sodium chromate	231-889-5	7775-11-3
Potassium chromate	232-140-5	7789-00-6
Ammonium dichromate	232-143-1	7789-09-5
Potassium dichromate	231-906-6	7778-50-9
Strontium chromate	232-142-6	7789-06-2
Cobalt(II) sulphate	233-334-2	10124-43-3
Cobalt(II) dinitrate	233-402-1	10141-05-6
Cobalt(II) carbonate	208-169-4	513-79-1
Cobalt(II) diacetate	200-755-8	71-48-7
Cobalt dichloride	231-589-4	7646-79-9
2-Methoxyethanol	203-713-7	109-86-4
2-Ethoxyethanol	203-804-1	110-80-5
Chromium trioxide	215-607-8	1333-82-0
Acids generated from chromium trioxide and their oligomers Group containing: Chromic acid Dichromic acid Oligomers of chromic acid and dichromic acid	231-801-5 236-881-5	7738-94-5 13530-68-2

Ubiquitous trace amounts which are not regulated under the REACH regulation cannot be excluded.

If you have any questions or concerns, please contact the Samtec Product Environmental Compliance Group via the following email address: pec@samtec.com

Respectfully,

 

Mark Bobo, Corporate Director, Environmental Compliance

*Regulation (EC) No 1907/2006 of the European Parliament and of the European Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

The information provided in this document is based upon technical data believed to be reliable and is accurate to the best of our knowledge. The information provided is subject to change as additional experience and knowledge is gained. – Samtec Incorporated